

Safety Data Sheet

1. Identification

Product Information. 215-08A

Product Name: Filteray D Paint

Recommended Use. Paint/Paint Related Material

Uses advised against. No information available

Supplier. DayGlo Color Corp.

4515 St. Clair Avenue Cleveland, OH 44102 (216) 391-7070

+1 216-391-7070 (outside the US)

Emergency telephone number. Chemtrec: +1-800-424-9300 USA

Chemtrec: +1 703-527-3887 ex-USA

24 hrs./day, 7 days/week

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Flammable Liquid, category 3 Carcinogenicity, category 1B Reproductive Toxicity, category 2 STOT, single exposure, category 3, RTI Acute Toxicity, Inhalation, category 4 Skin Irritation, category 2 Eye Irritation, category 2A

Skin Sensitizer, category 1

GHS Pictograms







Signal Word

Danger

Unknown Acute Toxicity

22.2% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Flammable liquid and vapor.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Harmful if inhaled.

May cause respiratory irritation.

May cause cancer.

Suspected of damaging fertility or the unborn child.

Precautionary Statements - Prevention.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, sparks, open flames, hot surfaces. No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash face and hands and any exposed skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves, protective clothing, eye protection, face protection

Precautionary Statements - Response.

If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (If applicable, see label for any additional instructions).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use CO₂ dry chemical or foam to extinguish.

Precautionary Statements - Storage.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local, regional, national, international regulations.

3. Composition/Information on Ingredients

<u>Chemical Name</u>	CAS-No.	<u>Wt. %</u>
1,2,4-TRIMETHYLBENZENE	95-63-6	10-25
m-Ethyltoluene	620-14-4	2.5-10
Benzene, 1,3,5-trimethyl-	108-67-8	2.5-10
p-Ethyltoluene	622-96-8	2.5-10
1-Ethyl-2-methylbenzene	611-14-3	2.5-10
1,2,3-TRIMETHYLBENZENE	526-73-8	2.5-10
Propylbenzene	103-65-1	2.5-10
XYLENE	1330-20-7	2.5-10
UV Absorber	3864-99-1	2.5-10
Benzene, (1-methylethyl)-	98-82-8	0.1-1.0
Ethyl Benzene	100-41-4	0.1-1.0
Toluene	108-88-3	0.1-1.0
N-BUTYL METHACRYLATE	97-88-1	0.1-1.0

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

No Information

Inhalation.

Consult a physician.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. If skin irritation persists, call a physician.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Ingestion.

Do NOT induce vomiting. Drink plenty of water. Call a physician immediately.

Symptoms.

See Section 2 and Section 11, Toxicological effects for description of potential symptoms.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons.

None.

Special hazards arising from the substance or mixture.

Flammable. In the event of fire and/or explosion do not breathe fumes. May be ignited by heat, sparks or flames.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Use personal protective equipment. Remove all sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Ensure adequate ventilation, especially in confined areas.

Advice for emergency responders.

No Information

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Soak up with inert absorbent material. Ground and bond containers when transferring material. Prevent product from entering drains. Keep in suitable and closed containers for disposal.

Methods for cleaning up.

No Information

Reference to other sections.

See section 8 for more information.

Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Keep away from heat, sparks and open flame. No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Hygiene measures.

See section 7 for more information. Handle in accordance with good industrial hygiene and safety practice.

Storage Conditions.

Keep container tightly closed in a dry and well-ventilated place. Keep tightly closed in a dry and cool place. Keep away from heat and sources of ignition.

8. Exposure Controls/Personal Protection

<u>Ingredients with Occupational Exposure Limits</u>

Chemical Name	ACGIH TLV-TWA	ACGIH-TLV STEL	OSHA PEL-TWA	OSHA PEL-CEILING
1,2,4-TRIMETHYLBENZENE	10 ppm	N.E.	N.E.	N.E.
Benzene, 1,3,5-trimethyl-	10 ppm	N.E.	N.E.	N.E.
1,2,3-TRIMETHYLBENZENE	10 ppm	N.E.	N.E.	N.E.
XYLENE	20 ppm	N.E.	100 ppm	N.E.
Benzene, (1-methylethyl)-	5 ppm	N.E.	50 ppm	N.E.
Ethyl Benzene	20 ppm	N.E.	100 ppm	N.E.
Toluene	20 ppm	N.E.	200 ppm	300 ppm

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Wear chemical-resistant glasses and/or goggles and a face shield when eye and face contact is possible due to handling and processing of material.

Skin and body protection.

Wear chemical resistant footwear and clothing such as gloves, an apron or a whole body suit as appropriate.

Respiratory protection.

NIOSH/MSHA approved respiratory protection should be worn if exposure is anticipated.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state Liquid

Appearance No Information

Color Clear
Odor Solvent

Odor Threshold

PH

No Information

Plash Point., °C (°F)

41 (105.80)

Boiling point/boiling range., °C (°F)

149 (300.2)

Evaporation rate No Information Available

Explosive properties.No InformationVapor pressure.No InformationVapor density.No Information

Specific Gravity. (g/cm³) 0.965

Water solubility.

Partition coefficient.

Autoignition temperature.,°C

Decomposition Temperature °C.

Viscosity, kinematic.

Insoluble in water

No Information

No Information

No Information

Other information.

Volatile organic compounds (VOC) content. 556

Density, Ib/gal No Information

10. Stability and Reactivity

Reactivity.

No dangerous reaction known under conditions of normal use.

Chemical stability.

Stable. Heat, flames and sparks.

Possibility of hazardous reactions.

Hazardous polymerization does not occur.

Conditions to Avoid.

None known.

Incompatible Materials.

None under normal processing. Strong oxidizing agents.

Hazardous Decomposition Products.

Carbon oxides. Nitrogen oxides (NO_x).

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

No Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 13,545.9 mg/kg ATEmix (dermal) 14,926.5 mg/kg ATEmix (inhalation - dust/mist) 6.43 mg/l

Component Information.

CAS-No.	Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
95-63-6	1,2,4-TRIMETHYLBENZENE	3280 mg/kg Rat	>3160 mg/kg Rabbit	18 mg/L Rat (Vapor)
108-67-8	Benzene, 1,3,5-trimethyl-	N.I.	N.I.	24 mg/L Rat (Vapor)
622-96-8	p-Ethyltoluene	4850 mg/kg Rat	>5000 mg/kg Rabbit	>3900 ppm Rat (Gas/Mist)
103-65-1	Propylbenzene	6040 mg/kg Rat	N.I.	65000 ppm Rat (Gas/Mist)
1330-20-7	XYLENE	3500 mg/kg Rat	>4350 mg/kg Rabbit	29.08 mg/L Rat (Vapor)
98-82-8	Benzene, (1-methylethyl)-	1400 mg/kg Rat	1474 mg/kg Rabbit	>3577 ppm Rat (Gas/Mist)
100-41-4	Ethyl Benzene	3500 mg/kg Rat	15400 mg/kg Rabbit	NA (Dust)
108-88-3	Toluene	2600 mg/kg Rat	12000 mg/kg Rabbit	12.5 mg/L Rat (Vapor)
97-88-1	N-BUTYL METHACRYLATE	16000 mg/kg Rat	11300 mg/kg Rabbit	4910 ppm Rat (Gas/Mist)

N.I. = No Information

Skin corrosion/irritation.

Irritating to skin. SKIN IRRITANT.

Eye damage/irritation.

Irritating to eyes.

Respiratory or skin sensitization.

May cause drownsiness and dizziness based on components. May cause irritation of respiratory tract. Avoid breathing vapors or mists. May be harmful if inhaled. May cause allergic skin reaction.

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

CAS-No.	Chemical Name	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>
1330-20-7	XYLENE	IARC Group 3	-	-
98-82-8	Benzene, (1-methylethyl)-	IARC Group 2B	NTP Reasonally Anticipated to be Human Carcinogen	-
100-41-4	Ethyl Benzene	IARC Group 2B	-	-
108-88-3	Toluene	IARC Group 3	-	-
97-88-1	N-BUTYL METHACRYLATE	IARC Group 2B	-	-

Reproductive toxicity.

May damage fertility or the unborn child.

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information

Toxicity.

24.20% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
1,2,4-TRIMETHYLBENZENE	_	LC50 96 h Pimephales promelas	EC50 48 h Daphnia magna 6.14
95-63-6	-	7.19 - 8.28 mg/L	mg/L
Benzene, 1,3,5-trimethyl-	_	LC50 96 h Pimephales promelas	_
108-67-8		3.48 mg/L	
		LC50 96 h Pimephales promelas	
		13.4 mg/L, LC50 96 h	
		Oncorhynchus mykiss 2.661 -	
		4.093 mg/L, LC50 96 h	
		Oncorhynchus mykiss 13.5 - 17.3	
		mg/L, LC50 96 h Lepomis	
		macrochirus 13.1 - 16.5 mg/L,	EC50 48 h water flea 3.82 mg/L,
XYLENE	_	LC50 96 h Lepomis macrochirus	LC50 48 h Gammarus lacustris
1330-20-7		19 mg/L, LC50 96 h Lepomis	0.6 mg/L
		macrochirus 7.711 - 9.591 mg/L,	l
		LC50 96 h Pimephales promelas	
		23.53 - 29.97 mg/L, LC50 96 h	
		Cyprinus carpio 780 mg/L, LC50	
		96 h Cyprinus carpio >780 mg/L,	
		LC50 96 h Poecilia reticulata	
		30.26 - 40.	
Benzene, (1-methylethyl)- 98-82-8		LC50 96 h Pimephales promelas	
	FOEO 70 h Decordation has a significant	6.04 - 6.61 mg/L, LC50 96 h	EC50 48 h Daphnia magna 0.6
		Oncorhynchus mykiss 4.8 mg/L,	mg/L EC50 48 h Danhnia magna
		LC50 96 h Oncorhynchus mykiss	
		2.7 mg/L, LC50 96 h Poecilia	
		reticulata 5.1 mg/L	

Ethyl Benzene 100-41-4	EC50 72 h Pseudokirchneriella subcapitata 4.6 mg/L, EC50 96 h Pseudokirchneriella subcapitata >438 mg/L, EC50 72 h Pseudokirchneriella subcapitata 2.6 - 11.3 mg/L, EC50 96 h Pseudokirchneriella subcapitata 1.7 - 7.6 mg/L	LC50 96 h Oncorhynchus mykiss 11.0 - 18.0 mg/L, LC50 96 h Oncorhynchus mykiss 4.2 mg/L, LC50 96 h Pimephales promelas 7.55 - 11 mg/L, LC50 96 h Lepomis macrochirus 32 mg/L, LC50 96 h Pimephales promelas 9.1 - 15.6 mg/L, LC50 96 h Poecilia reticulata 9.6 mg/L LC50 96 h Pimephales promelas	EC50 48 h Daphnia magna 1.8 - 2.4 mg/L
Toluene 108-88-3	EC50 96 h Pseudokirchneriella subcapitata >433 mg/L, EC50 72 h Pseudokirchneriella subcapitata 12.5 mg/L	15.22 - 19.05 mg/L, LC50 96 h Pimephales promelas 12.6 mg/L, LC50 96 h Oncorhynchus mykiss 5.89 - 7.81 mg/L, LC50 96 h Oncorhynchus mykiss 14.1 -	EC50 48 h Daphnia magna 5.46 - 9.83 mg/L, EC50 48 h Daphnia magna 11.5 mg/L
N-BUTYL METHACRYLATE 97-88-1	EC50 96 h Pseudokirchneriella subcapitata 57 mg/L	LC50 96 h Pimephales promelas 11 mg/L	EC50 48 h Daphnia magna 32 mg/L

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.	Chemical Name	log POW
95-63-6	1,2,4-TRIMETHYLBENZENE	3.63
103-65-1	Propylbenzene	3.68
1330-20-7	XYLÉNE	2.77 - 3.15
98-82-8	Benzene, (1-methylethyl)-	3.55
100-41-4	Ethyl Benzene	3.6
108-88-3	Toluene	2.73
97-88-1	N-BUTYL METHACRYLATE	2.99

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Shipping Name: Not regulated (If shipped in NON BULK packaging by ground transport)

IMDG

Proper Shipping Name: UN1993, Flammable Liquid, n.o.s., (Solvent Naphtha, Petroleum, Light Aromatic, Toluene), 3, PGIII

Hazard Class: 3 UN Number: UN1993 Packing Group: PGIII

<u>IATA</u>

Proper Shipping Name: UN1993, Flammable Liquid, n.o.s., (Solvent Naphtha, Petroleum, Light Aromatic, Toluene), 3, PGIII

Hazard Class: 3 UN Number: UN1993 Packing Group: PGIII

15. Regulatory Information

International Inventories:

TSCA DSL DSL/NDSL EINECS/ELINCS ENCS IECSC KECI PICCS AllC -

NZIoC TCSI

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

DSL/NDSL Canadian Domestic Substances List/Canadian Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.
 IECSC China Inventory of Existing Chemical Substances.
 KECL Korean Existing and Evaluated Chemical Substances.
 PlCCS Philippines Inventory of Chemicals and Chemical Substances.

Taiwan Chemical Substance Inventory

AllC Australian Inventory of Chemical Substances.

NZIoC New Zealand Inventory of Chemicals.

U.S. Federal Regulations:

SARA SECTION 313:

TCSI

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

 Chemical Name
 CAS-No.
 Weight Percent

 1,2,4-TRIMETHYLBENZENE
 95-63-6
 10-25

 XYLENE
 1330-20-7
 2.5-10

 Benzene, (1-methylethyl) 98-82-8
 0.1-1.0

 Ethyl Benzene
 100-41-4
 0.1-1.0

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS



Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical NameCAS-No.Benzene, (1-methylethyl)-98-82-8Ethyl Benzene100-41-4

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS



WARNING

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical Name

<u>CAS-No.</u> 108-88-3

Toluene

16. Other Information

Revision Date: 4/2/2024 Supersedes Date: 4/2/2024

Reason for revision: No Information

Datasheet produced by: Regulatory Department

HMIS Ratings:

Health: 2* Flammability: 2 Physical Hazard: 0 Personal Protection: X

NFPA Ratings:

Health: N.I. Flammability: N.I. Instability: N.I. Physical & Chemical: N.I.

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.