

Safety Data Sheet

1. Identification	
Product Information.	HT4315-2
Product Name:	Toluidine Red Dispersion
Recommended Use.	Coloring agent
Uses advised against.	No information available
Supplier.	DayGlo Color Corp. 4515 St. Clair Avenue Cleveland, OH 44102 (216) 391-7070 +1 216-391-7070 (outside the US)
Emergency telephone number.	Chemtrec: +1-800-424-9300 USA Chemtrec: +1 703-527-3887 ex-USA 24 hrs./day, 7 days/week

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Carcinogenicity, category 1B Flammable Liquid, category 3 STOT, repeated exposure, category 1 Skin Sensitizer, category 1 Aspiration Hazard, category 1

GHS Pictograms



Signal Word Danger

Unknown Acute Toxicity < 0.1% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Flammable liquid and vapor. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames, hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/ vapors/spray. Wash face and hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves, protective clothing, eye protection, face protection

Precautionary Statements - Response.

If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use CO₂ dry chemical or foam to extinguish.

Precautionary Statements - Storage.

Store in a well-ventilated place. Keep cool. Store locked up.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local, regional, national, international regulations.

3. Composition/Information on Ingredients		
Chemical Name	CAS-No.	<u>Wt. %</u>
Distillates, petroleum, hydrotreated light	64742-47-8	10-25
ALIPHATIC NAPHTHA	64742-88-7	2.5-10

1330-20-7

100-41-4

0.1-1.0

0.1-1.0

Methyl ethyl ketoxime	96-29-7	0.1-1.0

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice. No Information

Inhalation.

XYLENE

Ethvl Benzene

Consult a physician.

Skin contact.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. If skin irritation persists, call a physician.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Ingestion.

Do NOT induce vomiting. Drink plenty of water. Call a physician immediately.

Symptoms.

See Section 2 and Section 11, Toxicological effects for description of potential symptoms.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons.

None.

Special hazards arising from the substance or mixture.

May be ignited by heat, sparks or flames.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Use personal protective equipment. Ensure adequate ventilation, especially in confined areas.

Advice for emergency responders.

No Information

Environmental precautions.

See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Soak up with inert absorbent material. Ground and bond containers when transferring material. Prevent product from entering drains. Keep in suitable and closed containers for disposal.

Methods for cleaning up.

No Information

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Keep away from heat, sparks and open flame. No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Hygiene measures.

See section 7 for more information. Handle in accordance with good industrial hygiene and safety practice.

Storage Conditions.

Keep container tightly closed in a dry and well-ventilated place. Keep tightly closed in a dry and cool place. Keep away from heat and sources of ignition.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Expos Chemical Name	<u>ure Limits</u> ACGIH TLV-TWA	ACGIH-TLV STEL	<u>OSHA PEL-TWA</u>	OSHA PEL-CEILING
XYLENE	20 ppm	N.E.	100 ppm	N.E.
Ethyl Benzene	20 ppm	N.E.	100 ppm	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Wear chemical-resistant glasses and/or goggles and a face shield when eye and face contact is possible due to handling and processing of material.

Skin and body protection.

Wear chemical resistant footwear and clothing such as gloves, an apron or a whole body suit as appropriate.

Respiratory protection.

NIOSH/MSHA approved respiratory protection should be worn if exposure is anticipated.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state	Liquid
Appearance	Liquid
Color	Red
Odor	Solvent
Odor Threshold	No Information
рН	No Information
Melting/freezing point., °C (°F)	No Information
Flash Point., °C (°F)	49 (120.20)
Boiling point/boiling range., °C (°F)	166 (330.8)
Evaporation rate	No Information Available
Explosive properties.	No Information
Vapor pressure.	No Information
Vapor density.	No Information
Specific Gravity. (g/cm ³)	1.060
Water solubility.	Insoluble in water
Partition coefficient.	No Information
Autoignition temperature.,°C	No Information
Decomposition Temperature °C.	No Information
Viscosity, kinematic.	No Information
Other information.	
Volatile organic compounds (VOC) content.	324 g/L
Density, Ib/gal	No Information

10. Stability and Reactivity

Reactivity.

No dangerous reaction known under conditions of normal use.

Chemical stability.

Stable. Heat, flames and sparks.

Possibility of hazardous reactions.

Hazardous polymerization does not occur.

Conditions to Avoid.

None known.

Incompatible Materials.

None under normal processing. Strong oxidizing agents.

Hazardous Decomposition Products.

Carbon oxides. Nitrogen oxides (NO_x).

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

No Information

Component Information.

Component I	nformation.					
CAS-No.	<u>Chemical Name</u>	LD50 Oral	LD50 Dermal	LC50 Inhalation		
1330-20-7	XYLENE	3500 mg/kg Rat	>4350 mg/kg Rabbit	29.08 mg/L Rat (Vapor)		
100-41-4	Ethyl Benzene	3500 mg/kg Rat	15400 mg/kg Rabbit	NA (Dust)		
96-29-7	Methyl ethyl ketoxime	930 mg/kg Rat	1000 - 1800 mg/ kg Rabbit	>4.83 mg/L Rat (Vapor)		
N.I. = No Info	rmation					
Eye damage/	skin. SKIN IRRITANT. /irritation.					
	allergic skin reaction.					
Ingestion. No Informati						
Germ cell mu No Informati						
Carcinogenic The table be	ity. Now indicates whether each agency has listed	any ingredient as a ca	rcinogen.			
<u>CAS-No.</u> 1330-20-7 100-41-4	<u>Chemical Name</u> XYLENE Ethyl Benzene	IARC IARC Group 3 IARC Group 2B	<u>NTP</u> - -	<u>OSHA</u> - -		
•	Reproductive toxicity. No Information					
Specific target organ systemic toxicity (single exposure). No Information						
Specific target organ systemic toxicity (repeated exposure). Causes damage to organs through prolonged or repeated exposure.						
Aspiration hazard. No Information						
Primary Rout No Informati						

12. Ecological Information

Toxicity.

0.00% of the mixture consists of ingredient(s) of unknown aquatic toxicity **Ecotoxicity effects.**

Chemical Name	Toxicity to algae		Toxicity to daphnia and other aquatic invertebrates
Distillates, petroleum, hydrotreated light 64742-47-8	-	LC50 96 h Pimephales promelas 45 mg/L, LC50 96 h Lepomis macrochirus 2.2 mg/L, LC50 96 h Oncorhynchus mykiss 2.4 mg/L	-
ALIPHATIC NAPHTHA	EC50 96 h Pseudokirchneriella	LC50 96 h Pimephales promelas	EC50 48 h Daphnia magna >100
64742-88-7	subcapitata 450 mg/L	800 mg/L	mg/L

XYLENE 1330-20-7	-	LC50 96 h Pimephales promelas 13.4 mg/L, LC50 96 h Oncorhynchus mykiss 2.661 - 4.093 mg/L, LC50 96 h Oncorhynchus mykiss 13.5 - 17.3 mg/L, LC50 96 h Lepomis macrochirus 13.1 - 16.5 mg/L, LC50 96 h Lepomis macrochirus 19 mg/L, LC50 96 h Lepomis macrochirus 7.711 - 9.591 mg/L, LC50 96 h Pimephales promelas 23.53 - 29.97 mg/L, LC50 96 h Cyprinus carpio 780 mg/L, LC50 96 h Cyprinus carpio >780 mg/L, LC50 96 h Poecilia reticulata 30.26 - 40.	EC50 48 h water flea 3.82 mg/L, LC50 48 h Gammarus lacustris 0.6 mg/L
Ethyl Benzene 100-41-4	EC50 72 h Pseudokirchneriella subcapitata 4.6 mg/L, EC50 96 h Pseudokirchneriella subcapitata >438 mg/L, EC50 72 h Pseudokirchneriella subcapitata 2.6 - 11.3 mg/L, EC50 96 h Pseudokirchneriella subcapitata 1.7 - 7.6 mg/L	LC50 96 h Oncorhynchus mykiss 11.0 - 18.0 mg/L, LC50 96 h Oncorhynchus mykiss 4.2 mg/L, LC50 96 h Pimephales promelas 7.55 - 11 mg/L, LC50 96 h Lepomis macrochirus 32 mg/L, LC50 96 h Pimephales promelas 9.1 - 15.6 mg/L, LC50 96 h Poecilia reticulata 9.6 mg/L	EC50 48 h Daphnia magna 1.8 - 2.4 mg/L
Methyl ethyl ketoxime 96-29-7	EC50 72 h Desmodesmus subspicatus 83 mg/L	LC50 96 h Pimephales promelas 777 - 914 mg/L, LC50 96 h Poecilia reticulata 760 mg/L	EC50 48 h Daphnia magna 750 mg/L

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.	<u>Chemical Name</u>	log POW
1330-20-7	XYLENE	2.77 - 3.15
100-41-4	Ethyl Benzene	3.6
96-29-7	Methyl ethyl ketoxime	0.65

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Shipping Name: Not regulated (If shipped in NON BULK packaging by ground transport)

<u>IMDG</u>

Proper Shipping Name:	UN1993, Flammable liquid, n.o.s., (Distillates, Petroleum, Hydrotreated Lt., Xylene), 3, PGIII
Hazard Class:	3
UN Number:	UN1993
Packing Group:	PGIII

<u>IATA</u>

Proper Shipping Name:UN1993, Flammable liquid, n.o.s., (Distillates, Petroleum, Hydrotreated Lt., Xylene), 3, PGIIIHazard Class:3Packing Group:PGIII

15. Regulatory Information

International Inventories:

TSCA	Complies	
DSL	Complies	
DSL/NDSL	-	
EINECS/ELINCS	-	
ENCS		
IECSC	-	
KECI	-	
PICCS	-	
AIIC	-	
NZIoC	-	
TCSI		
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory.	
DSL	Canadian Domestic Substances List.	
DSL/NDSL	Canadian Domestic Substances List/Canadian Non-Domestic Substances List	
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.	
ENCS	Japan Existing and New Chemical Substances.	
IECSC	China Inventory of Existing Chemical Substances.	
KECL	Korean Existing and Evaluated Chemical Substances.	
PICCS	Philippines Inventory of Chemicals and Chemical Substances.	
AIIC	Australian Inventory of Chemical Substances.	
NZIoC	New Zealand Inventory of Chemicals.	
TCSI	Taiwan Chemical Substance Inventory	

U.S. Federal Regulations:

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372: .

<u>Chemical Name</u>	CAS-No.	Weight Percent
Ethyl Benzene	100-41-4	0.1-1.0

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS

🚺 WARNING

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical Name	CAS-No.
Ethyl Benzene	100-41-4
Naphthalene	91-20-3

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical Name

CAS-No.

108-88-3

16. Other Information									
Revision Date:		4/18/2023	4/18/2023			Supersedes Date:			
Reason for revision: No Informa			ation						
Datasheet produced by: Regulatory		y Departm	ent						
HMIS Ratin	gs:								
Health:	2*	Flammability:	2	Physical Hazard:	0	Personal Protection:	Х		
NFPA Ratings:									
Health:	N.I.	Flammability:	N.I.	Instability:	N.I.	Physical & Chemical:	N.I.		

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.